




ARCHITECTURAL
CYLINDER LIGHTING



TIMELESS SYMMETRY

ARCHITECTURAL CYLINDER LIGHTING offers a sleek, modern lighting solution that combines both aesthetics and functionality. With their minimalist design, cylinders provide clean lines and a timeless look, making them an ideal design

choice for contemporary, industrial, or architectural spaces. Their compact, powerful form allows for focused, directional lighting; perfect for illuminating task areas, highlighting focal points, or creating a dramatic visual impact.

CYLINDRICAL LUMINAIRES FOR EVERY DESIGN

Beyond their visual appeal, our cylinders are incredibly versatile: choose to surface-mount, suspend, recess, wall-mount, or add to a track system; they are designed for spaces ranging from high ceilings to exterior environments.



ADJUSTABLE RECESSED CYLINDER

Combines the concept of an integral driver pot light with a sleek cylindrical design to deliver a clean, modern aesthetic, while its adjustable feature allows you to direct light exactly where it's needed (tiltable up to 60°).



CEILING MOUNT CYLINDERS

Designed for flush or pendant installation, they can be mounted flush for a subtle, low-profile effect or suspended as a pendant for added visual impact, bringing a timeless aesthetic that seamlessly integrates into any space.



MULTIFUNCTIONAL CYLINDERS

The ultimate in versatility and modern engineering: designed for surface mounting, ceiling pendant installation, or integration with our Story Series H-style Track Lighting Systems, these lights help designers adapt effortlessly to an entire lighting plan while matching the same look.



CYLINDER WALL SCONCES

With a minimalist design and durable construction, their cylindrical form provides a clean, sophisticated look while offering powerful, focused lighting and additional optics options (for 15° or 25° beam angles) to enhance ambience and safety. A designer's favorite for complementing a contemporary façade and adding a touch of elegance to outdoor spaces.

MULTIFUNCTIONAL CYLINDERS [CEILING/PENDANT/SURFACE MOUNTING]

Order#	Model	Diameter	Wattage	Voltage	CCT	Lumens	CRI	Finish
R31401	RENO-CYL30W-5CCT-WH-SM	4.5"	30W	120V	27/30/35/40/5000K	3,000 lm	92	White
R31402	RENO-CYL30W-5CCT-BK-SM	4.5"	30W	120V	27/30/35/40/5000K	3,000 lm	92	Black

ACCESSORIES

Order#	Model	Description	Finish
R31921	RENO-TKH-MPK-WH	Ceiling Pendant Mount Kit (48")	White
R31922	RENO-TKH-MPK-BK	Ceiling Pendant Mount Kit (48")	Black
R31923	RENO-TKH-TPK-WH	H-Style Track Pendant Kit (48")	White
R31924	RENO-TKH-TPK-BK	H-Style Track Pendant Kit (48")	Black

KEY FEATURES

- A wide range of cylindrical luminaires available in either matte black or modern white finish
- A cylinder luminaire for every installation method: surface-mount, suspend, recess, wall-mount, or add to a H-style track system
- High CRI and Multi CCT
- Features for better light accuracy and the ability to enhance mood and perception of a space



CEILING MOUNT CYLINDERS [CEILING/PENDANT/SURFACE MOUNTING]

Order#	Model	Diameter	Wattage	Voltage	CCT	Lumens	CRI	Finish
R31403	RENO-CYDL-MW-DV-MCCT-6-WH	6.0"	18/24/30W	120-347V	27/30/35/40/5000K	up to 2,700 lm	90	White
R31404	RENO-CYDL-MW-DV-MCCT-6-BK	6.0"	18/24/30W	120-347V	27/30/35/40/5000K	up to 2,700 lm	90	Black

CYLINDER WALL SCONCES [WALL MOUNTED]

Order#	Model	Diameter	Wattage	Voltage	CCT	Lumens	CRI	Finish
R51220	RENO-CWS-MW-DV-MCCT-4	4.0"	12/16/20W	120-347V	30/40/5000K	up to 2,100 lm	90	Black
R51223	RENO-CWS-MW-DV-MCCT-4-WH	4.0"	12/16/20W	120-347V	30/40/5000K	up to 2,100 lm	90	White
R51221	RENO-CWS-MW-DV-MCCT-6	6.0"	22/29/35W	120-347V	30/40/5000K	up to 3,675 lm	90	Black
R51224	RENO-CWS-MW-DV-MCCT-6-WH	6.0"	22/29/35W	120-347V	30/40/5000K	up to 3,675 lm	90	White

ACCESSORIES

Order#	Model	Description	Angle
R59208	RENO-CWS-4-OPTIC-15	4.0" Diffuser	15°
R59209	RENO-CWS-4-OPTIC-25	4.0" Diffuser	25°
R59210	RENO-CWS-6-OPTIC-15	6.0" Diffuser	15°
R59211	RENO-CWS-6-OPTIC-25	6.0" Diffuser	25°



MORE KEY FEATURES

- TRIAC Dimming provides a wider compatibility and smoother dimming experience (Adjustable and Multifunctional models)
- IP65 or Wet Rated provides the flexibility for outdoor use
- 120-347V models support commercial/ industrial use (Ceiling Mount and Wall Sconce models)

ADJUSTABLE CYLINDERS [RECESSED MOUNTING]

Order#	Model	Diameter	Wattage	Voltage	CCT	Lumens	CRI	Finish
R31405	RENO-CYL15W-3-5CCT-HW	3.0"	15W	120V	27/30/35/40/5000K	1,000 lm	90	White
R31406	RENO-CYL15W-3-5CCT-HW	3.0"	15W	120V	27/30/35/40/5000K	1,000 lm	90	Black



905-604-4666
info@renolighting.com
www.renolighting.com



9133 Leslie St. #120
Richmond Hill, ON
L4B 4N1 Canada