



Date		Project	
Type		Part Number	

ARCHITECTURAL LUMINAIRES BY RENO LIGHTING


# ARRAY Series

## Architectural Strip Generation 2



Illuminate structures like never before with the ARRAY SERIES Architectural Direct/Indirect Linear Strip System. This configurable linear strip system offers the freedom to craft both smooth, fluid curves and precise angular bends.

Whether a designer seeks the organic grace of natural forms or the geometric precision of modern design, the ARRAY SERIES adapts seamlessly to their vision, resulting in a innovative design of light.



### Product Features

- Approved DLC Premium
- Improved installation connection interface
- Varying layout configurations
- Corners and other transition pieces are fully luminous
- Higher efficacy, up to 130lm/W
- Prismatic Diffuser Lens rated UGR<22
- Operating Temperature: (-13°F~104°F) -25~40°C
- Rated lifetime L70: >50,000 hours
- Modern White or Matte Black finish
- 10 Year Limited Warranty

### Key Specifications

<b>Voltage</b>	120-347V
<b>Wattage</b>	Selectable
<b>Length</b>	2, 4, & 8FT
<b>Power Factor</b>	>0.9
<b>CCT</b>	Selectable 30/35/40/5000K
<b>CRI</b>	>80
<b>Lumens</b>	Up to 130 lm/ft
<b>Beam Angle</b>	120°
<b>Dimming</b>	0-10V
<b>Mounting</b>	Surface, Recessed, Wall, Pendant




# ARRAY Series | Architectural Strip G2

ARCHITECTURAL LUMINAIRES BY RENO LIGHTING

## Specifications

Order#	Model	Wattage	Voltage	Lumens	CCT	Finish	Length
R33211	RENO-TLSN2-DV-MCCT-MW-WH-G2	10/13/15W	120-347V	1,300/1,690/ 1,950 lm	30/35/40/5000K	White	2ft
R33212	RENO-TLSN4-DV-MCCT-MW-WH-G2	30/40/50W	120-347V	3,900/5,200/ 6,500 lm	30/35/40/5000K	White	4ft
R33213	RENO-TLSN8-DV-MCCT-MW-WH-G2	60/80/100W	120-347V	7,800/10,400/ 13,000 lm	30/35/40/5000K	White	8ft
R33214	RENO-TLSN2-DV-MCCT-MW-BK-G2	10/13/15W	120-347V	1,300/1,690/ 1,950 lm	30/35/40/5000K	Black	2ft
R33215	RENO-TLSN4-DV-MCCT-MW-BK-G2	30/40/50W	120-347V	3,900/5,200/ 6,500 lm	30/35/40/5000K	Black	4ft
R33216	RENO-TLSN8-DV-MCCT-MW-BK-G2	60/80/100W	120-347V	7,800/10,400/ 13,000 lm	30/35/40/5000K	Black	8ft

## Dimensions



### 2 FT STRIP

Overall Length: 25-5/8"  
 Internal Length: 19-1/16"  
 Height: 2-61/64"  
 Width: 2-23/64"

### 4 FT STRIP


Overall Length: 47-1/4"  
 Internal Length: 42-43/64"  
 Height: 2-61/64"  
 Width: 2-23/64"

### 8 FT STRIP


Overall Length: 94-31/64"  
 Internal Length: 89-59/64"  
 Height: 2-61/64"  
 Width: 2-23/64"




## Accessories – Upper Luminous Modules




R39401  
RENO-TLSN2-MCCT-7W-UP-WH  
2ft Upper Luminous Module




R39413  
RENO-TLSN2-MCCT-7W-UP-BK  
2ft Upper Luminous Module




R39402  
RENO-TLSN4-MCCT-12W-UP-WH  
4ft Upper Luminous Module



R39414  
RENO-TLSN4-MCCT-12W-UP-BK  
4ft Upper Luminous Module



R39403  
RENO-TLSN8-MCCT-15W-UP-WH  
8ft Upper Luminous Module




R39415  
RENO-TLSN8-MCCT-15W-UP-BK  
8ft Upper Luminous Module


Order#	Model	Description
R39401	RENO-TLSN2-MCCT-7W-UP-WH	2ft Upper Luminous Module White
R39402	RENO-TLSN4-MCCT-12W-UP-WH	4ft Upper Luminous Module White
R39403	RENO-TLSN8-MCCT-15W-UP-WH	8ft Upper Luminous Module White
R39413	RENO-TLSN2-MCCT-7W-UP-BK	2ft Upper Luminous Module Black
R39414	RENO-TLSN4-MCCT-12W-UP-BK	4ft Upper Luminous Module Black
R39415	RENO-TLSN8-MCCT-15W-UP-BK	8ft Upper Luminous Module Black



## Accessories – Luminous Connectors




R39425  
RENO-TLSN-MCCT-X-WH-G2  
4-CCT "X" Shaped Connector




R39437  
RENO-TLSN-MCCT-X-BK-G2  
4-CCT "X" Shaped Connector




R39427  
RENO-TLSN-MCCT-V-WH-G2  
4-CCT "V" Shaped Connector




R39439  
RENO-TLSN-MCCT-V-BK-G2  
4-CCT "V" Shaped Connector




R39426  
RENO-TLSN-MCCT-T-WH-G2  
4-CCT "T" Shaped Connector



R39438  
RENO-TLSN-MCCT-T-BK-G2  
4-CCT "T" Shaped Connector



R39424  
RENO-TLSN-MCCT-L-WH-G2  
4-CCT "L" Shaped Connector







R39436  
RENO-TLSN-MCCT-L-BK-G2  
4-CCT "L" Shaped Connector

Order#	Model	Description
R39424	RENO-TLSN-MCCT-L-WH-G2	4-CCT "L" Shaped Connector White
R39425	RENO-TLSN-MCCT-X-WH-G2	4-CCT "X" Shaped Connector White
R39426	RENO-TLSN-MCCT-T-WH-G2	4-CCT "T" Shaped Connector White
R39427	RENO-TLSN-MCCT-V-WH-G2	4-CCT "V" Shaped Connector White
R39436	RENO-TLSN-MCCT-L-BK-G2	4-CCT "L" Shaped Connector Black
R39437	RENO-TLSN-MCCT-X-BK-G2	4-CCT "X" Shaped Connector Black
R39438	RENO-TLSN-MCCT-T-BK-G2	4-CCT "T" Shaped Connector Black
R39439	RENO-TLSN-MCCT-V-BK-G2	4-CCT "V" Shaped Connector Black



## Accessories – Luminous Connectors



R39443  
RENO-QCC-WH  
4-CCT Quarter Circle Connector


R39444  
RENO-QCC-BK  
4-CCT Quarter Circle Connector

R39441  
RENO-HCC-WH  
4-CCT Half Circle Connector

R39442  
RENO-HCC-BK  
4-CCT Half Circle Connector

Order#	Model	Description
R39443	RENO-QCC-WH	4-CCT Quarter Circle Connector White
R39444	RENO-QCC-BK	4-CCT Quarter Circle Connector Black
R39441	RENO-HCC-WH	4-CCT Half Circle Connector White
R39442	RENO-HCC-BK	4-CCT Half Circle Connector Black

## Accessories – Suspended Mounting



R39407  
RENO-TLSN-SK  
Suspension Kit

R59456  
RENO-TBSK  
T-Bar Suspension Kit

R39412  
RENO-TLSN-CANOPY-WH  
Canopy kit for Ceiling Mount


R39419  
RENO-TLSN-CANOPY-BK  
Canopy kit for Ceiling Mount

Order#	Model	Description
R39407	RENO-TLSN-SK	Suspension Kit
R59456	RENO-TBSK	T-Bar Suspension Kit
R39412	RENO-TLSN-CANOPY-WH	Canopy Kit for Ceiling Mount White
R39419	RENO-TLSN-CANOPY-BK	Canopy Kit for Ceiling Mount Black







## Accessories – Recessed & Wall Mounting



R39451  
RENO-RMF2  
2ft Recessed Mount Frame




R39452  
RENO-RMF4  
4ft Recessed Mount Frame



R39453  
RENO-RMF8  
8ft Recessed Mount Frame




R39408  
RENO-TLSN-CK  
Linear Connector Kit



R59411  
RENO-TLSN-CMK  
Surface Mounting Kit




R59454  
RENO-WMF2  
2ft Wall Mount Frame



R59455  
RENO-WMF4  
4ft Wall Mount Frame

Order#	Model	Description
R39451	RENO-RMF2	2ft Recessed Mount Frame
R39452	RENO-RMF4	4ft Recessed Mount Frame
R39453	RENO-RMF8	8ft Recessed Mount Frame
R39408	RENO-TLSN-CK	Linear Connector Kit
R39411	RENO-TLSN-CMK	Surface Mounting Kit
R59454	RENO-WMF2	2ft Wall Mount Frame
R59455	RENO-WMF4	4ft Wall Mount Frame

## Accessories – Lens




R39440  
RENO-TLSN-SCL  
Seamless Connection Lens (98ft/30m per roll)

Order#	Model	Description
R39440	RENO-TLSN-SCL	Seamless Connection Lens (98ft/30m per roll)








## Mounting Options



Suspension Mounted Option



T-Bar Mounting Option



Surface Mounting Option






# ARRAY Series | Architectural Strip G2

ARCHITECTURAL LUMINAIRES BY 

## Mounting Options



Recessed Mounted Option



Wall Mounted Option






# ARRAY Series | Architectural Strip G2


ARCHITECTURAL LUMINAIRES BY RENO LIGHTING

## Photometrics


**LUMINOUS INTENSITY DISTRIBUTION (2 FT STRIP)**




**ILLUMINANCE AT A DISTANCE (2 FT STRIP)**



**LUMINOUS INTENSITY DISTRIBUTION (4 FT STRIP)**



**ILLUMINANCE AT A DISTANCE (4 FT STRIP)**






# ARRAY Series | Architectural Strip G2

ARCHITECTURAL LUMINAIRES BY RENO LIGHTING

## Photometrics

LUMINOUS INTENSITY DISTRIBUTION (8 FT STRIP)



ILLUMINANCE AT A DISTANCE (8 FT STRIP)

Height	Center Beam fc	Beam Width (V / H)
4.0 ft	863.0 fc	4.2 / 3.7 ft
8.0 ft	215.8 fc	8.3 / 7.4 ft
12.0 ft	95.9 fc	12.5 / 11.1 ft
16.0 ft	53.9 fc	16.7 / 14.8 ft
20.0 ft	34.5 fc	20.8 / 18.5 ft

Vertical Spread: 55.0° | Horizontal Spread: 49.7°

