



Aerion

Ultra-Thin Wall Pack

Slimmer. Stronger. Engineered to outperform.



Aerion Slim Wall-Pack

The Aerion Series Slim Wall Pack delivers powerful performance in a sleek, compact form. Available in two sizes, it offers flexibility without sacrificing output — delivering full-sized wall pack performance in a durable, space-saving solution.



Features

120-347V
20W - 120W (selectable)
3000K, 4000K, 5000K (selectable)
Up to 144 Lm/W
2655 - 16,141 lms

L70@ 50,000 hours
CRI 70+
Beam Angle T4
0-10V Dimming
Operating Temp: 40°F to +117°F | -40°C to +45°C

Order Guide

Order#	Model	Wattage	Voltage	Lumens	Efficacy	CCT
R51061	RENO-STWP-MW-DV-MCCT-R1-BK	20/40/60W	120-347V	Up to 7,939 lm	Up to 142.6 lm/W	30/40/5000K
R51062	RENO-STWP-MW-DV-MCCT-R2-BK	80/100/120W	120-347V	Up to 16,141 lm	Up to 144.0 lm/W	30/40/5000K

Slim Build

Big Performance

Corrosion Resistant
Black Powder-Coated Aluminum

Ultra Slim Design

Widths: 8.7" (221mm) & 13.8" (350.5mm)
Height: 9.3" (236.2mm)
Length: 4.3" (109.2 mm)

Applications
Exteriors
Outdoor Corridors
Walkways
Stairwells



Integrated Photocell
Optional On/Off Switch



R1: 20/40/60W

Selectable Watts

2655 - 7939 Lms

Delivered Lumens

R2: 80/100/120W

Selectable Watts

10,783 - 16,141 Lms

Delivered Lumens



US Office
8735 Dunwoody Place #6728
Atlanta, GA
30350 United States



CA Office
9133 Leslie St. #120
Richmond Hill, ON
L4B 4N1 Canada

info@renolighting.com | www.renolighting.com