

Date: \_\_\_\_\_ Project: \_\_\_\_\_

Type: \_\_\_\_\_ Part #: \_\_\_\_\_



# AURA Series

Recessed Downlight

Elevate your space with the Aura Series 2" Round or Square Recessed Downlight, engineered for versatility and clean architectural lines. Featuring field-selectable CCT, smooth dimming, and interchangeable trims, it delivers high-end aesthetics and effortless installation for any indoor or wet location.



## Product Features

- Durable Aluminum Body
- Type IC, Air-Tight & Wet - No Housing Required
- Fast Installation & No Junction Box Needed
- Includes two spring-loaded clips to attach to any ceiling material.
- Flicker-FREE 120V forward phase TRIAC dimming (down to 10%)
- Operating temp: -20°C ~ +40°C (-4°F ~ 104°F)
- Rated lifetime: L70 > 50,000 hours

## Specifications

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| <b>Input Voltage</b>  | 120V                                                |
| <b>Wattage</b>        | 8W                                                  |
| <b>Selectable CCT</b> | 27/30/35/40/50 ( 3K Default)                        |
| <b>Power factor</b>   | >0.9                                                |
| <b>CRI</b>            | 90+                                                 |
| <b>Lumen</b>          | Up to 726lm                                         |
| <b>Efficacy</b>       | Up to 90lm/W                                        |
| <b>Beam Angle</b>     | 38°                                                 |
| <b>Dimming</b>        | 0-10V/ TRIAC                                        |
| <b>Mounting</b>       | Recessed                                            |
| <b>Applications</b>   | Commercial buildings, Hospitality, Offices, Lobbies |

## Specifications - 2in Round Commercial Downlight (White)

| Order #       | Model                       | Voltage | Wattage | Lumen    | Efficacy  | CCT    |
|---------------|-----------------------------|---------|---------|----------|-----------|--------|
| <b>R36131</b> | RENO-LED-AURA-2-S8W-5CCT-WH | 120V    | 8W      | 661.4 lm | 82.6 lm/W | 2,700K |
|               |                             |         |         | 687.8 lm | 85.9 lm/W | 3,000K |
|               |                             |         |         | 714.6 lm | 89.3 lm/W | 3,500K |
|               |                             |         |         | 726.3 lm | 90.7 lm/W | 4,000K |
|               |                             |         |         | 720.1 lm | 90.0 lm/W | 5,000K |

## Specifications - 2in Round Commercial Downlight (Black)

| Order #       | Model                        | Voltage | Wattage | Lumen    | Efficacy  | CCT    |
|---------------|------------------------------|---------|---------|----------|-----------|--------|
| <b>R36132</b> | RENO-LED-AURA-2-S8W- 5CCT-BK | 120V    | 8W      | 620.3 lm | 77.5 lm/W | 2,700K |
|               |                              |         |         | 643.3 lm | 80.4 lm/W | 3,000K |
|               |                              |         |         | 674.9 lm | 84.3 lm/W | 3,500K |
|               |                              |         |         | 687.4 lm | 85.9 lm/W | 4,000K |
|               |                              |         |         | 682.1 lm | 85.2 lm/W | 5,000K |

## 2in Square Commercial Downlight (White)

| Order #       | Model                          | Voltage | Wattage | Lumen    | Efficacy  | CCT    |
|---------------|--------------------------------|---------|---------|----------|-----------|--------|
| <b>R36133</b> | RENO-LED-AURA-2-S8W-5CCT-WH-SQ | 120V    | 8W      | 656.1 lm | 82.0 lm/W | 2,700K |
|               |                                |         |         | 685.6 lm | 85.7 lm/W | 3,000K |
|               |                                |         |         | 712.3 lm | 89.0 lm/W | 3,500K |
|               |                                |         |         | 724.1 lm | 90.5 lm/W | 4,000K |
|               |                                |         |         | 720.2 lm | 90.0 lm/W | 5,000K |

## 2in Square Commercial Downlight (Black)


| Order #       | Model                          | Voltage | Wattage | Lumen    | Efficacy  | CCT    |
|---------------|--------------------------------|---------|---------|----------|-----------|--------|
| <b>R36134</b> | RENO-LED-AURA-2-S8W-5CCT-BK-SQ | 120V    | 8W      | 628.4 lm | 78.5 lm/W | 2,700K |
|               |                                |         |         | 651.7 lm | 81.4 lm/W | 3,000K |
|               |                                |         |         | 684.7 lm | 85.5 lm/W | 3,500K |
|               |                                |         |         | 699.0 lm | 87.3 lm/W | 4,000K |
|               |                                |         |         | 698.4 lm | 87.3 lm/W | 5,000K |

## DLC Certification

| Order #       | Model                          | Application | DLC Standard | DLC Premium |
|---------------|--------------------------------|-------------|--------------|-------------|
| <b>R36131</b> | RENO-LED-AURA-2-S8W-5CCT-WH    | -           | -            | -           |
| <b>R36132</b> | RENO-LED-AURA-2-S8W-5CCT-BK    | -           | -            | -           |
| <b>R36133</b> | RENO-LED-AURA-2-S8W-5CCT-WH-SQ | -           | -            | -           |
| <b>R36134</b> | RENO-LED-AURA-2-S8W-5CCT-BK-SQ | -           | -            | -           |

## Accessories

### Mounting




#### Mounting Plate

R39119  
 RENO-MP23

| Order #       | Model     | Description                                                                               |
|---------------|-----------|-------------------------------------------------------------------------------------------|
| <b>R39119</b> | RENO-MP23 | 12-inch long mounting plate for 2-inch downlight & 3-inch gimbal plate with 72mm cut size |


## Dimensions

### Aura Recessed Downlight | Round



| Order #       | Model                        | Diameter       | Depth          | Cut Hole Size  |
|---------------|------------------------------|----------------|----------------|----------------|
| <b>R36131</b> | RENO-LED-AURA-2-S8W-5CCT-WH  | 3.15in (80 mm) | 2.76in (70 mm) | 2.83in (72 mm) |
| <b>R36132</b> | RENO-LED-AURA-2-S8W- 5CCT-WH | 3.15in (80 mm) | 2.76in (70 mm) | 2.83in (72 mm) |

### Aura Recessed Downlight | Square



| Order #       | Model                        | Length         | Width          | Depth          | Cut Hole Size  |
|---------------|------------------------------|----------------|----------------|----------------|----------------|
| <b>R36133</b> | RENO-LED-AURA-2-S8W-5CCT-WH  | 3.15in (80 mm) | 3.15in (80 mm) | 2.76in (70 mm) | 2.83in (72 mm) |
| <b>R36134</b> | RENO-LED-AURA-2-S8W- 5CCT-WH | 3.15in (80 mm) | 3.15in (80 mm) | 2.76in (70 mm) | 2.83in (72 mm) |