

Date: _____ Project: _____

Type: _____ Part #: _____



Aura Series

3" Round Gimbal

Elevate your space with the Aura Series 3" Round Gimbal Recessed Downlight, engineered for precise illumination and clean architectural lines. Featuring a flexible rotation-enabled design for dynamic accent lighting, field-selectable CCT, and smooth dimming, it effortlessly shapes focal points and transforms any indoor or wet location.



Product Features

- Durable Aluminum Body
- Type IC, Air-Tight & Wet - No Housing Required
- Fast Installation & No Junction Box Needed
- Includes two spring-loaded clips to attach to any ceiling material.
- Built-in Gimbal Design Provides flexible directional adjustment to highlight architecture, art, or focal points with dynamic accent lighting.
- Flicker-FREE 120V forward phase TRIAC dimming (down to 10%)
- Operating temp: -20°C ~ +40°C (-4°F ~ 104°F)
- Rated for long life - over 50,000 hours

Specifications

Input Voltage	120V
Wattage	8W
Selectable CCT	27/30/35/40/50 (3000K Default)
Power factor	>0.9
CRI	90Ra+
Lumen	Up to 656lm
Efficacy	Up to 90lm/W
Beam Angle	38°
Dimming	0-10V TRIAC
Mounting	Recessed
Applications	Commercial buildings, Hospitality, Offices, Lobbies

Specifications - 3" Round Gimbal (White)

Order #	Model	Voltage	Wattage	Lumen	Efficacy	CCT
R36135	RENO-LED-AURA-3-S8W-5CCT-WH	120V	8W	Up to 684.0 lm	Up to 85.5 lm/W	2,700K
				Up to 722.7 lm	Up to 90.3 lm/W	3,000K
				Up to 751.9 lm	Up to 93.9 lm/W	3,500K
				Up to 763.9 lm	Up to 95.4 lm/W	4,000K
				Up to 757.0 lm	Up to 94.6 lm/W	5,000K

Specifications - 3" Round Gimbal (Black)


Order #	Model	Voltage	Wattage	Lumen	Efficacy	CCT
R36136	RENO-LED-AURA-3-S8W-5CCT-BK	120V	8W	Up to 671.9 lm	Up to 83.9 lm/W	2,700K
				Up to 699.8 lm	Up to 87.4 lm/W	3,000K
				Up to 726.0 lm	Up to 90.7 lm/W	3,500K
				Up to 746.6 lm	Up to 93.3 lm/W	4,000K
				Up to 733.3 lm	Up to 91.6 lm/W	5,000K

DLC Certification

Order #	Model	Application	DLC Standard	DLC Premium
R36135	RENO-LED-AURA-3-S8W-5CCT-WH	-	-	-
R36136	RENO-LED-AURA-3-S8W-5CCT-BK	-	-	-

Accessories

Mounting



Mounting Plate


R39119

RENO-MP23

Order #	Model	Description
R39119	RENO-MP23	12-inch long mounting plate for 2-inch downlight & 3-inch gimbal plate with 72mm cut size

Dimensions

3" Round Gimbal



Order #	Model	Depth	Diameter	Weight
R36135	RENO-LED-AURA-3-S8W-5CCT-WH	1.77 in (45mm)	3.35 in (85mm)	0.3 kg / 0.7 lbs
R36136	RENO-LED-AURA-3-S8W-5CCT-WH	1.77 in (45mm)	3.35 in (85mm)	0.3 kg / 0.7 lbs