

<b>Date</b>		<b>Project</b>	
<b>Type</b>		<b>Part Number</b>	



ALL-IN-ONE PERFORMANCE LIGHTING

# EMERGENCY Series

## Steel Body Running Man Sign

The Emergency Series Steel Body Running Man Sign is encased in a sturdy, all steel housing. It comes standard with a mounting canopy, three pictograms, one backplate and all mounting hardware. An external LED status indicator and test switch is standard. Powered with long life LED chips, they are the perfect choice for both new and retrofit projects.



### PRODUCT FEATURES

- Steel housing and PC pictogram sign
- Universal (wall, ceiling, side) mounting
- Universal field-selectable single/double-face
- Test switch and charge Indicator light
- Damp location rated
- Sealed Nickel Cadmium Battery
- 120 minutes discharge after battery charge 24 hours
- Operating temperature: 14°F to +104°F (-10°C to +40°C)
- Fully-illuminated 6" characters
- High illuminance LED display
- 5 year warranty




### KEY SPECIFICATIONS

<b>Input Voltage</b>	120-347V
<b>Power</b>	2W
<b>Power Factor</b>	>0.9
<b>Discharge Time</b>	>120 Minutes
<b>Recharge Time</b>	24 Hours
<b>Finish</b>	White
<b>Applications</b>	Commercial, Warehouses, Retail, Education Facilities
<b>Mounting</b>	Wall, End, and Ceiling

## SPECIFICATIONS

Order#	Model	Input Voltage	Power	Discharge Time	Charging Time	Battery Type
R61004	RENO-SRMS-U	120-347VAC	2W	>120 Minutes	24 Hours	Sealed Nickel Cadmium

## MOUNTING



## PICTOGRAMS



LEFT



STRAIGHT (REVERSIBLE)



RIGHT

## DIMENSIONS

