

Date		Project	
Type		Part Number	



ALL-IN-ONE PERFORMANCE LIGHTING

EMERGENCY Series

Edge-Lit Running Man Sign

The Emergency Series Edge-Lit Running Man Sign is encased in UV-stabilized thermoplastic material. It comes standard with a mounting canopy, three pictograms, one backplate and all mounting hardware. An external LED status indicator and test switch is standard. Powered with long life LED chips, they are the perfect choice for both new and retrofit projects.



PRODUCT FEATURES

- Plastic housing and PC pictogram sign
- 180° Rotation for mounting
- Universal (wall, ceiling, side) mounting
- Universal field-selectable single/double-face
- Test switch and charge Indicator light
- Damp location rated
- Nickel Cadmium Battery
- 120 minutes discharge after battery charge 24 hours
- Operating temperature: 14°F to +104°F (-10°C to +40°C)
- Fully-illuminated 6" characters
- High illuminance LED display
- 5 year warranty



KEY SPECIFICATIONS

Input Voltage	120-347V
Power	3W
Power Factor	>0.9
Discharge Time	>120 Minutes
Recharge Time	24 Hours
Finish	White
Applications	Commercial, Warehouses, Retail, Education Facilities
Mounting	Wall, End, and Ceiling

SPECIFICATIONS

Order#	Model	Input Voltage	Power	Discharge Time	Charging Time	Battery Type
R61003	RENO-REL-U	120-347VAC	3W	>120 Minutes	24 Hours	Nickel Cadmium

MOUNTING



PICTOGRAMS



LEFT



STRAIGHT (REVERSIBLE)



RIGHT

DIMENSIONS

