







LIGHT THE PATH

TO EGRESS

Designed to play a vital role in lighting the way to egress, guiding building occupants towards safety in the event of evacuation.



EXIT SIGNS

The Running Man Exit Sign was officially adopted by the ISO in 1985. Canada's National Building Code (NBC) has required the use of these signs since 2010. We offer Running Man Exit Signs in three styles: Thermoplastic, Steel, and Edge-Lit.



COMBO UNITS

Combination Power/Running Man units offer the dual functionality of locating exit ways and illuminating the adjacent area in the event of a power loss. Our collection of Combo Units are available in Steel or Thermoplastic.



EMERGENCY BATTERIES& REMOTE HEADS

Emergency Battery backup units with LED heads and Remote heads provide illumination during power outages or emergency situations to ensure safety and visibility for occupants to navigate their way.



(B)









WHY A RUNNING MAN?

The Running Man Exit Sign's green colour and pictogram were selected for two main reasons: Green means safety and "go" as opposed to red for danger or "don't touch", and a pictogram makes it a universal language with no barriers, allowing any visitor who speaks any language to understand the sign.

LEGEND AND NOTE

ARROWS RIDICATES SIDE OF
SIGN UTIL EORID TEXT!" AND
DIRECTION OF ARROW

THO ARROWS ROLLATES BACK



A SIGN OF SAFETY

Introducing our collection of LED Running Man Exit Signs and Emergency Lighting designed to be a critical component of a building's safety infrastructure.

They are the perfect choice for commercial/industrial projects and play a vital role in lighting the way to egress, guiding people towards safety.



COMMERCIAL BUILDINGS & OFFICES

Ensure employees and visitors can safely evacuate during emergencies such as fires, power outages, or other hazards.

PUBLIC SPACES & VENUES

Guide large crowds, making clear evacuation routes critical for public safety during emergencies.

EDUCATIONAL & HEALTHCARE FACILITIES

A vital element in safeguarding the safety and well-being of students, staff, patients, and visitors in critical situations.

THREE UNIQUE STYLES



TRADITIONAL TWO-SIDED

Designed to fit the footprint of older signs, they make replacements quick, cost-effective, and hassle-free.

No need for rewiring or structural changes—just a seamless upgrade to modern safety standards.

SLIM & MODERN EDGE-LIT

A slim and stylish design, providing even illumination while blending seamlessly into contemporary spaces.





WATERPROOF

Built to withstand rain, humidity, and harsh conditions, they stay visible and functional in all weather, ensuring compliance and peace of mind.

RUNNING MAN EXIT SIGNS









R61001

R61004

R61003

R61006

Order #	Model	Description	Voltage	Discharge/Recharge	Material
R61001	RENO-RMS-U	Thermoplastic Running Man Sign	120-347V	120 min / 24 hrs	Thermoplastic
R61004	RENO-SRMS-U	Steel Running Man Sign	120-347V	120 min / 24 hrs	Power-Coated Steel
R61003	RENO-REL-U	Edge-Lit Running Man Sign	120-347V	120 min / 24 hrs	Thermoplastic
R61006	RENO-WRMS-U	Waterproof Running Man Sign	120-347V	120 min / 24 hrs	ABS Plastic

RUNNING MAN COMBO UNITS







R61002

R61005

R61007

Order #	Model	Description	Voltage	Lamp Power	Lumens	Discharge/Recharge	Material
R61002	RENO-RMC-U	Thermoplastic Combo Unit	120-347V	2 x 5W	940 lm	120 min / 24 hrs	Thermoplastic
R61005	RENO-SRMC-U	Steel Combo Unit	120-347V	2 x 5W	940 lm	120 min / 24 hrs	Power-Coated Steel
R61007	RENO-WRMC-U	Waterproof Combo Unit	120-347V	2 x 1.4W	247 lm	120 min / 24 hrs	Thermoplastic

LED EMERGENCY BATTERY UNITS & REMOTE HEADS









R61201

R61202

R61101

R61106







R61103

R61105

R61203

Order #	Model	Description	Voltage	Lamp Power	Lumens	Discharge/Recharge	Wattage
R61201	RENO-EBP36W-U	36W Battery Back-up Unit	120-347V	2 x 2W	240 lm	>120 Min/24 Hrs	36W
R61202	RENO-EBP72W-U	72W Battery Back-up Unit	120-347V	2 x 5W	800 lm	>120 Min/24 Hrs	72W
R61101	RENO-ERH2W-1	2W Single Remote Head	3.6-24V DC	2W	120 lm	-	2W
R61106	RENO-ERH5W-1	5W Single Remote Head	5-24V DC	5W	400 lm	-	5W
R61103	RENO-ERH2W-2	2 x 2W Double Remote Head	3.6-24V DC	4W (Total)	260 lm	-	2 x 2W
R61105	RENO-ERH5W-2	2 x 5W Double Remote Head	5-24V DC	10W (Total)	860 lm	-	2 x 5W
R61203	RENO-EBU2W-2	2 x 2W Injection Molded Remote Head	120-347V	4W (Total)	310 lm	-	2 x 2W



